

From: [Frank Cargill](#)
To: [Coltrain, Katrina](#); ["Mark S. Evans"](#); ["mblaschke@thelawgroupokc.com"](#)
Cc: [todd.downham@deq.ok.gov](#); [pappel@eaest.com](#)
Subject: RE: Wilcox Oil Company - Ground Water Well behind Parsonage
Date: Tuesday, January 31, 2017 10:16:15 AM

Thank you for this up-date! Would this action involve any expense or liability on the part of the church or would it merely require our signed agreement?

Blessings!

Frank Cargill, Superintendent

Oklahoma District Council of the AG

From: Coltrain, Katrina [mailto:coltrain.katrina@epa.gov]
Sent: Tuesday, January 31, 2017 9:14 AM
To: 'Mark S. Evans'; 'mblaschke@thelawgroupokc.com'; Frank Cargill
Cc: todd.downham@deq.ok.gov; pappele@eaest.com
Subject: Wilcox Oil Company - Ground Water Well behind Parsonage

Good Day Mark, Mike, and Frank, I am sending this communication to confirm that we have permission to close the ground water well located on the church property just south of the parsonage. During previous meetings and conversations, we have discussed the presence of source liquid within the well. This is a dark oil-like liquid that is floating on the water's surface within the well. Because of the potential for contamination, the well should be removed and closed to eliminate this potential pathway for migration of the source liquid to ground water.

It is my understanding from our discussions that we have permission to remove the building surrounding the well and close the well permanently. In order to close the well properly, the building surrounding the well needs to be removed so that the equipment can plug the well without complications. We are looking to complete this work during the week of February 20, 2017.

I respectfully request a response by Friday, February 3, 2017. Please let us know if we have permission to complete this action, and if the scheduled timeframe is acceptable.

Thank you for your continued interest in the site. We do have ground water data for this well in addition to indoor air data for the church and parsonage. We are compiling the data. These data will be sent as soon as the letters are finalized.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section (6SF-RL)
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143